§4.127

of psychiatric symptoms, the length of remissions, and the veteran's capacity for adjustment during periods of remission. The rating agency shall assign an evaluation based on all the evidence of record that bears on occupational and social impairment rather than solely on the examiner's assessment of the level of disability at the moment of the examination.

- (b) When evaluating the level of disability from a mental disorder, the rating agency will consider the extent of social impairment, but shall not assign an evaluation solely on the basis of social impairment.
- (c) Delirium, dementia, and amnestic and other cognitive disorders shall be evaluated under the general rating formula for mental disorders; neurologic deficits or other impairments stemming from the same etiology (e.g., a head injury) shall be evaluated separately and combined with the evaluation for delirium, dementia, or amnestic or other cognitive disorder (see § 4.25).
- (d) When a single disability has been diagnosed both as a physical condition and as a mental disorder, the rating agency shall evaluate it using a diagnostic code which represents the dominant (more disabling) aspect of the condition (see § 4.14).

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

§ 4.127 Mental retardation and personality disorders.

Mental retardation and personality disorders are not diseases or injuries for compensation purposes, and, except as provided in §3.310(a) of this chapter, disability resulting from them may not be service-connected. However, disability resulting from a mental disorder that is superimposed upon mental retardation or a personality disorder may be service-connected.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

§4.128 Convalescence ratings following extended hospitalization.

If a mental disorder has been assigned a total evaluation due to a continuous period of hospitalization lasting six months or more, the rating agency shall continue the total evaluation indefinitely and schedule a mandatory examination six months after the veteran is discharged or released to nonbed care. A change in evaluation based on that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

§ 4.129 Mental disorders due to traumatic stress.

When a mental disorder that develops in service as a result of a highly stressful event is severe enough to bring about the veteran's release from active military service, the rating agency shall assign an evaluation of not less than 50 percent and schedule an examination within the six month period following the veteran's discharge to determine whether a change in evaluation is warranted.

(Authority: 38 U.S.C. 1155) [61 FR 52700, Oct. 8, 1996]

§ 4.130 Schedule of ratings—mental disorders.

The nomenclature employed in this portion of the rating schedule is based upon the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, of the American Psychiatric Association (DSM-IV). Rating agencies must be thoroughly familiar with this manual to properly implement the directives in §4.125 through §4.129 and to apply the general rating formula for mental disorders in §4.30. The schedule for rating for mental disorders is set forth as follows:

Rating

Schizophrenia and Other Psychotic Disorders

9201 Schizophrenia, disorganized type9202 Schizophrenia, catatonic type

9202 Schizophrenia, catatonic type 9203 Schizophrenia, paranoid type

9204 Schizophrenia, undifferentiated type

Department of Veterans Affairs

§4.130

		Rating
9205	1 7 31 7	-
9208 9210		
9211		
	Delirium, Dementia, and Amnestic and Other Cognitive Disorders	
9300	Delirium	
9301	Dementia due to infection (HIV infection, syphilis, or other systemic or intracranial infections)	
	Dementia due to head trauma	
	Vascular dementia	
	Dementia of unknown etiology	
	Dementia of the Alzheimer's type Dementia due to other neurologic or general medical conditions (endocrine disorders, metabolic disorders,	
	c's disease, brain tumors, etc.) or that are substance-induced (drugs, alcohol, poisons)	
	Organic mental disorder, other (including personality change due to a general medical condition)	
	Anxiety Disorders	
	Generalized anxiety disorder	
9403		
	Obsessive compulsive disorder	
	Other and unspecified neurosis Posttraumatic stress disorder	
	Panic disorder and/or agoraphobia	
	Anxiety disorder, not otherwise specified	
	Dissociative Disorders	
9416 9417	Dissociative amnesia; dissociative fugue; dissociative identity disorder (multiple personality disorder) Depersonalization disorder	
	Somatoform Disorders	
9421	Somatization disorder	
9422		
	Undifferentiated somatoform disorder	
9424 9425	Conversion disorder Hypochondriasis	
	Mood Disorders	
9431	Cyclothymic disorder	
	Bipolar disorder	
9433		
9434	Major depressive disorder	
9435	Mood disorder, not otherwise specified	
	Chronic Adjustment Disorder	
9440	Chronic adjustment disorder	
	General Rating Formula for Mental Disorders:	
	Total occupational and social impairment, due to such symptoms as: gross impairment in thought processes or communication; persistent delusions or hallucinations; grossly inappro-	
	priate behavior; persistent danger of hurting self or others; intermittent inability to perform ac-	
	tivities of daily living (including maintenance of minimal personal hygiene); disorientation to	
	time or place; memory loss for names of close relatives, own occupation, or own name	10
		10
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as: suicidal ideation; obses-	10
	time or place; memory loss for names of close relatives, own occupation, or own name	10
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as: suicidal ideation; obses-	10
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as usicidal ideation; obsessional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently, appropriately and effectively; impaired impulse control (such as unprovoked irritability with periods of violence); spatial disorientation; neglect of personal appearance and hygiene; dif-	10
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as: suicidal ideation; obsessional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently, appropriately and effectively; impaired impulse control (such as unprovoked irritability with periods of violence); spatial disorientation; neglect of personal appearance and hygiene; difficulty in adapting to stressful circumstances (including work or a worklike setting); inability to	
	time or place; memory loss for names of close relatives, own occupation, or own name	
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as usicidal ideation; obsessional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently, appropriately and effectively; impaired impulse control (such as unprovoked rirtability with periods of violence); spatial disorientation; neglect of personal appearance and hygiene; difficulty in adapting to stressful circumstances (including work or a worklike setting); inability to establish and maintain effective relationships Occupational and social impairment with reduced reliability and productivity due to such symp-	
	time or place; memory loss for names of close relatives, own occupation, or own name	
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as usicidal ideation; obsessional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently, appropriately and effectively; impaired impulse control (such as unprovoked rirtability with periods of violence); spatial disorientation; neglect of personal appearance and hygiene; difficulty in adapting to stressful circumstances (including work or a worklike setting); inability to establish and maintain effective relationships Occupational and social impairment with reduced reliability and productivity due to such symp-	10i
	time or place; memory loss for names of close relatives, own occupation, or own name Occupational and social impairment, with deficiencies in most areas, such as work, school, family relations, judgment, thinking, or mood, due to such symptoms as: suicidal ideation; obsessional rituals which interfere with routine activities; speech intermittently illogical, obscure, or irrelevant; near-continuous panic or depression affecting the ability to function independently, appropriately and effectively; impaired impulse control (such as unprovoked irritability with periods of violence); spatial disorientation; neglect of personal appearance and hygiene; difficulty in adapting to stressful circumstances (including work or a worklike setting); inability to establish and maintain effective relationships Occupational and social impairment with reduced reliability and productivity due to such symptoms as: flattened affect; circumstantial, circumlocutory, or stereotyped speech; panic attacks more than once a week; difficulty in understanding complex commands; impairment of short-	

Rat-ing

§4.149

		Rating
	Occupational and social impairment with occasional decrease in work efficiency and intermittent periods of inability to perform occupational tasks (although generally functioning satisfactorily, with routine behavior, self-care, and conversation normal), due to such symptoms as: depressed mood, anxiety, suspiciousness, panic attacks (weekly or less often), chronic sleep	
	impairment, mild memory loss (such as forgetting names, directions, recent events) Occupational and social impairment due to mild or transient symptoms which decrease work efficiency and ability to perform occupational tasks only during periods of significant stress, or; symptoms controlled by continuous medication	3
	A mental condition has been formally diagnosed, but symptoms are not severe enough either to interfere with occupational and social functioning or to require continuous medication	'
	Eating Disorders	
9520	Anorexia nervosa	
9521		
	Rating Formula for Eating Disorders:	
	Self-induced weight loss to less than 80 percent of expected minimum weight, with incapaci-	
	tating episodes of at least six weeks total duration per year, and requiring hospitalization more than twice a year for parenteral nutrition or tube feeding	10
	Self-induced weight loss to less than 85 percent of expected minimum weight with incapaci-	10
	tating episodes of six or more weeks total duration per year	6
	Self-induced weight loss to less than 85 percent of expected minimum weight with incapaci-	
	tating episodes of more than two but less than six weeks total duration per year	3
	Binge eating followed by self-induced vomiting or other measures to prevent weight gain, or re-	
	sistance to weight gain even when below expected minimum weight, with diagnosis of an eating disorder and incapacitating episodes of up to two weeks total duration per year	1
	Binge eating followed by self-induced vomiting or other measures to prevent weight gain, or re-	
	sistance to weight gain even when below expected minimum weight, with diagnosis of an eat-	
	ing disorder but without incapacitating episodes	

NOTE: An incapacitating episode is a period during which bed rest and treatment by a physician are required.

(Authority: 38 U.S.C. 1155)

 $[61~{\rm FR}~52700,\,{\rm Oct.}~8,\,1996,\,{\rm as}~{\rm amended}~{\rm at}~74~{\rm FR}~18467,\,{\rm Apr.}~23,\,2009]$

DENTAL AND ORAL CONDITIONS

§4.149 [Reserved]

$\S 4.150$ Schedule of ratings—dental and

§ 4.150 Schedule of ratings—denta oral conditions.	l and	Hange of lateral excursion: 0 to 4 mm. NOTE—Ratings for limited inter-incisal movement shall not be combined with ratings for limited lateral excursion.	10
	Rat- ing	9906 Ramus, loss of whole or part of: Involving loss of temporomandibular articu-	
		lation	
9900 Maxilla or mandible, chronic osteomyelitis or		Bilateral	50
osteoradionecrosis of:		Unilateral	30
Rate as osteomyelitis, chronic under diag- nostic code 5000.		Not involving loss of temporomandibular ar-	
9901 Mandible, loss of, complete, between angles	100	ticulation	
9902 Mandible, loss of approximately one-half:	100	Bilateral	30
Involving temporomandibular articulation	50	Unilateral	20
Not involving temporomandibular articulation	30	9907 Ramus, loss of less than one-half the sub-	
9903 Mandible, nonunion of:		stance of, not involving loss of continuity: Bilateral	20
Severe	30	Unilateral	10
Moderate	10	9908 Condyloid process, loss of, one or both sides	30
NOTE—Dependent upon degree of motion		9909 Coronoid process, loss of:	
and relative loss of masticatory function.		Bilateral	20
9904 Mandible, malunion of:		Unilateral	10
Severe displacement	20	9911 Hard palate, loss of half or more:	
Moderate displacement	10	Not replaceable by prosthesis	30
Slight displacement	0	Replaceable by prosthesis	10
NOTE—Dependent upon degree of motion		9912 Hard palate, loss of less than half of:	
and relative loss of masticatory function.		Not replaceable by prosthesis	20
9905 Temporomandibular articulation, limited mo-		Replaceable by prosthesis	0
tion of:		9913 Teeth, loss of, due to loss of substance of	
Inter-incisal range:	40	body of maxilla or mandible without loss of con-	
0 to 10 mm	40	tinuity:	
11 to 20 mm	30 20	Where the lost masticatory surface cannot be restored by suitable prosthesis:	
31 to 40 mm		Loss of all teeth	40
01 10 70 111111	. 10	L000 01 dll l0011	40

Range of lateral excursion: